



Local Restore Guide "NovaStor xSP 19"

xSP Local Restore

Use local restore if you wish to restore from Server Storage that has been copied to your computer rather than connecting to the Backup Server online.

xSP Local Restore setup

 Install the xSP client on the machine you want to restore the files. <u>NOTE:</u> You may use the custom install and disable the Disaster Recovery and Agent Service feature for a quick use.

RovaBACKUP Setup	
ENOVASTOR	NOVABACKUP®
Click the icons in the tree below to change the way features will be installed. NovaBACKUP Backup Copy Engine NovaBACKUP Anti-Virus NovaBACKUP Disaster Recovery NovaBACKUP Devices NovaBACKUP Plugins Agent Service	Supports connection to the Management Server. This feature requires 0KB on your hard drive.
Reget Disk Usage Back	Browse, Next Cancel

2. Copy the user's data storage folder to the local machine or a location where the client can access the files.



3. On the xSP client Device tab, click [Add] and select the xSP Account and click [OK].

Home Copy	Backup	Restore	Logs	Schedule	Device	Status			н
ailable Devices									
evice /					Volume/Med	ia name	Size	Free	File System
»C:\							29.90 GB	9.70 GB	NTFS
PD:\					Data		244.14 GB	158.99 GB	NTFS
E:\NECVMWar VMware IDE CI	DR 10				Unknown				Unknown
Network									
Click HERE to add an online de	evice								
			_	_	_				
		Select the	e type of de	evice to add					
		WCD.	Account						
		XSP .	Account						
						Cancel			
						Cancer			
					(Add	Delete	Refresh	Properties.

4. Enter just the username and password. Don't click [**OK**] yet and go to the Restore tab. <u>NOTE</u>: Leave the Server Name or IP Address field empty.

Configure l	Device							X
Account	Security Advanced	Staging	Proxy	Restore	•			
Device	Name							
3	Name for this configu	uration:						
	xSP device.0							
Backup	server location							
	Use these settings for the Internet or on a lo	rtransferring cal Intranet	data to a	a Backu	p Server	on		
	Server Name or IP Address:							
Backup	server authentication							
	Use these settings to o your account on the ba	onfigure the ackup serve	e useman er.	ne and p	assword	for		
	Specify credentials	for authenti	ication					
	Usemame:		bst519	b				
	Password:							
	Re-enter Passwor	d:						
	Use my current Wind	lows login c	redential	5				
	Test Connection		OK	(Car	ncel	Help	,

5. Select the 'Restore from local server storage' checkbox and click the [**Browse**] button and locate the user data files folder you copied from [Step 2]. Click [**OK**] to continue adding the device on the client.

Configure	Device 🛛 🔀							
Account	Security Advanced Staging Proxy Restore							
Local	Restore							
3	Use this option to restore files directly from copied server storage without the need to use an online connection. For example if your server storage exists as C:\UserData\UserOne, you can copy the UserOne folder to your computer and restore files from that storage location.							
	Note: If a password is specified in the account tab, the restore process will test that as your secret key with the option to specify another if needed.							
	Restore from local server storage							
	Storage Folder:							
	C:\bst519b							
	Browse							
	Test Connection OK Cancel Help							

6. Once the xSP device has been added, you may go to the Restore tab and restore any files to an alternate location.

Nova		- 8		
Bestore Logs	Scheikule Device	Delete Stat	hri	H
0				<u>To Time Mode</u>
Type	Created on	Total F	les Total Bytes	Location (Device)
Volume	2/4/2011 3:56:37	РМ		-
Ful	2/4/2011 3:56:37	PM		
Name: /	Size	Type	Modified	1
Nova8ACKUP.ini	c 1 KB	Shortcut	11/11/2010	10:24:
	Nova Bestore Loos Type Volume Full Name / Name /	NovaBACKUP - Trial Version Bestore Logs Schedule Device Type Created on Volume 2/4/2011 3:56:37 Full 2/4/2011 3:56:37 Name / Size Name / Size Name / Size	NovaBACKUP - Trial Version Restore Logs Schedule Device Delete Stat Type Created on Total P Volume 2/4/2011 3:56:37 PM Full 2/4/2011 3:56:37 PM Mame / Size Type Name / Size Type	NovaBACKUP - Trial Version Bestore Logs Schedule Device Delete Status Type Created on Total Files Total Bytes Volume 2/4/2011 3:56:37 PM Total Files Total Bytes Full 2/4/2011 3:56:37 PM Mame / Size Type Name / Size Type III NovaBACKUP.Ink. 1 KB

Contact Us

NovaStor Software AG Baarerstrasse 20CH-6304 Zug, Switzerland Tel +41 (41) 712 31 55 Fax +41 (41) 712 21 56

NovaStor Corporation

29209 Canwood St. Agoura Hills, CA 91301 USA Tel +1 (805) 579 6700 Fax +1 (805) 579 6710

NovaStor GmbH

Neumann-Reichardt-Str. 27-33 D-22041 Hamburg, Germany Tel +49 (40) 638 09 0 Fax +49 (40) 638 09 29

Notice

Information in this document is subject to change without notice. NovaStor makes no representations or warranties with respect to the contents of this document and specifically disclaims any implied warranties of merchantability or fitness for any particular purpose. Further, NovaStor reserves the right to revise this publication and to make changes without obligation to notify any person or organization of such revisions or changes.

Copyright

Under copyright laws, the contents of this document may not be copied, photocopied, reproduced, translated or reduced to any electronic medium or machine-readable form, in whole or in part, without prior written consent of NovaStor.

Trademarks NovaBACKUP[®] is a registered trademark of NovaStor. Windows[®] is a registered trademark of Microsoft Corporation.